

Roger Williams University

DOCS@RWU

Documentation


Captain Thomas Paine House: Horse Barn Plans

Follow this and additional works at: https://docs.rwu.edu/baker_documentation



Part of the [Historic Preservation and Conservation Commons](#)

INTERIOR PLANS HORSE BARN



Pg. 2.


INTERIOR PLANS

HORSE BARN


1979

1. All stall walls to be built out of 2x6 oak or pine boards.
2. Stone walls (N. + W stall #2) left plain.
3. East and south walls stall #1 reinforced to 2" thickness inside.
4. Corner beams (■) to be 4x4 posts providing ceiling support and anchors for grills.
5. Stall wall to be approx 7'6" or to bottom of cross beams to permit air circulation.
6. Windows (W. stall #2, S. stall #1) must open from top and have interior grill.
7. Dutch doors are solid top + bottom but exterior dutch door (in stall #1) has extra upper section of grill work inside. Bottoms = 4' high. Tops 3'0".
8. Old loft entrance moved from NW corner to SW corner inside back room, please build me a ladder I can climb to reach loft.
9. If possible enlarge window stall #2.
10. Light in back room
11. Two banks overhead lights either recessed or gridded over for safety
12. Wash stall floor sloped to small drain.
13. Main floor sloped slightly to large drain.
14. Water and electrical outlets on back wall.

Detail: West Wall North Wall East Wall South Wall Stall #1 Stall #2 Stall #3



Detail Windows: South Wall Stall #2 West Wall Stall #2



Box stalls dug out one foot below level of cement, built up with stone, sand then clay layers for drainage.